

APPENDIX

Claim 7. An in-line skate comprising:

at least one substantially horizontal foot-bearing portion;

one longitudinally extending lateral flange extending downwardly from said foot-bearing portion, said lateral flange comprising a metal, said metal at least partly including aluminum;

one longitudinally extending medial flange extending downwardly from said foot-bearing portion, said medial flange comprising a metal, said metal at least partly including aluminum;

each of said lateral flange and said medial flange having a top portion, and a bottom portion substantially coplanar with said top portion, wherein:

both said top portions of said lateral flange and said medial flange being equally transversely spaced apart and being adapted to have attached therebetween at least one wheel;

each of said lateral flange and said medial flange further having an intermediate portion having been made by pressing, substantially non-coplanar with said bottom portions of said lateral flange and said medial flange.

Claim 8. An in-line skate according to claim 7, wherein each of said lateral and medial flanges extends continuously between said top portion and said bottom portion via said intermediate portion.

Claim 9. An in-line skate comprising:

at least one longitudinally extending foot-bearing portion;
one longitudinally extending lateral flange extending downwardly from said foot-bearing portion and having a lateral top portion, and a lateral bottom portion adapted to have attached thereto at least one wheel;

one longitudinally extending medial flange extending downwardly from said foot-bearing portion and having a medial top portion, and a medial bottom portion adapted to have attached thereto at least one wheel;

said lateral top portion being spaced apart by a first distance from said medial top portion;

said lateral bottom portion being spaced apart by said first distance from said medial bottom portion;

said lateral flange further having a lateral intermediate portion having been made by pressing, said lateral intermediate portion being substantially non-coplanar with said lateral bottom portion;

said medial flange further having a medial intermediate portion having been made by pressing, said medial intermediate portion being substantially non-coplanar with said medial bottom portion;

said lateral intermediate portion being spaced apart by a second distance from said medial intermediate portion, said second distance being different from said first distance.

Claim 10. An in-line skate according to claim 9, wherein said lateral flange extends continuously from said lateral top portion to said lateral bottom portion via said lateral intermediate portion, and said medial flange extends continuously between said medial top portion and said medial bottom portion via said medial intermediate portion.

Claim 11. An in-line skate according to claim 9, wherein said lateral intermediate portion has a longitudinally curved contour.

Claim 12. An in-line skate comprising:

at least one longitudinally extending foot-bearing portion;

one longitudinally extending lateral flange extending downwardly from said foot-bearing portion and having a lateral top portion, a lateral bottom portion adapted to have attached thereto at least one wheel and a lateral intermediate portion;

one longitudinally extending medial flange extending downwardly from said foot-bearing portion and having a medial top portion, a medial bottom portion adapted to have attached thereto at least one wheel and a medial intermediate portion;

said lateral top portion being spaced apart by a first distance from said medial top portion;

said lateral bottom portion being spaced apart by said first distance from said medial bottom portion;

at least one of said lateral intermediate portion and said medial intermediate portion having been made by pressing and being substantially non-coplanar with said lateral bottom portion;

said lateral intermediate portion being spaced apart by a second distance from said medial intermediate portion, said second distance being different from said first distance.

28. An in-line skate according to claim 7, wherein said top portion of each of said lateral and medial flanges is adjacent to said foot-bearing portion.

29. An in-line skate according to claim 9, wherein said top portion of each of said lateral and medial flanges is adjacent to said foot-bearing portion.

30. An in-line skate according to claim 12, wherein said top portion of each of said lateral and medial flanges is adjacent to said foot-bearing portion.